


How to embed a donation page on my site

If you have a standalone donation or standalone ticketing pages with Rallybound, you can embed these pages on your organization's website. The embed code can be found in your organization's Admin interface.

1. Navigate to your organization's Admin.
2. Double-click on the campaign you would like to embed.
3. Click on the Embed Code button at the bottom of the page.
4. Click the Copy button located underneath the embed code.
5. Paste the code into your site's HTML editor.



The screenshot displays the Rallybound Admin interface for a campaign. On the left, there is a sidebar with navigation options: Ticketing Page (selected), Website, Admin Panel, Delist, Replicate, Relaunch, and End Campaign. The main content area shows campaign details in a table format:

Campaign ID	3896
Name	tickets
URL	pacifcocean-demo.rallybound.org/tickets
Description	sample ticket site
Goal	\$50,000
Date	07/22/2017 4:00 pm
Location	The Best Country Club

Below the table, there is a section for the embed code:

▼ Embed code - You can embed this ticketing page anywhere on your organization's domain, rallybound.com. To enable embedding on an additional domain, please contact us.

```
<!--BEGIN RALLYBOUND CODE -->
<div id="rbEmbedded"><noscript style="margin:0 auto; display:block; text-align:center; font-size:17px; padding:20px">Please enable
javascript on your browser.<br /> You may also try and visit <a href="http://pacifcocean-demo.rallybound.org/tickets">tickets</a>
</noscript></div>
<script type="text/javascript">
var _rbConf = _rbConf || {};
_rbConf.account = 'pacifcocean-demo.rallybound.org/tickets';
_rbConf.embedType = 'DONATE';
_rbConf.isTickets = true;
_rbConf.pluginSize = 'RESPONSIVE';
_rbConf.otherParams = {
  embed: true,
  standalone: true
};
//_rbConf.defaultAmount = 100; // optional
//_rbConf.onDonationCallback=function(donationAmount,donationId,donationRecurringId){ // optional
```

A "Copy" button is located below the code block.

Tips and Tricks

In the embed code there's a section that begins "_rbConf.otherParams". This section can be used to set various defaults on the embedded donation page. When adding to this list, ensure that all but the last one have a comma after them.

- To set a default donation amount, add:
donate: [amount]
- To set the donation to be recurring by default (this requires [Recurring Donations with WePay](#) to be enabled on your page), add:
recur: true
- For the donor to cover fees by default ([Donor Covers Fees](#) must be enabled in the admin panel), add:
coverfee: true

For sites that have a 'sticky' navigation or other sticky elements that can cover the embedded form add: "`_rbConf.additionalOffsetTopForScroll = {pixel amount - ex. 200};`" above "`_rbConf.otherParams`" for the page to scroll a bit more to ensure that the form scrolls enough on success or error.

Other Embed Options — For advanced users only!

In addition to embedding the entire donation form into a webpage, the donation form can also be embedded in a widget style. There are two styles for this. Follow these instructions to add them:

1. Retrieve the URL of the donation page you'd like to embed.
2. You will need to add parameters at the end of the URL, as follows:
 - For the smaller widget with a 3-step donation process, add `"/plugin?narrow=true"`
 - For the wider widget that displays the entire form at once, add `"/plugin?wide=true"`
3. Wrap your URL in an iframe tag as follows:
 - For the smaller widget:
`<iframe src="[your URL]" height="415" width="320"></iframe>`
 - For the wider widget:
`<iframe src="[your URL]" height="422" width="638"></iframe>`
4. Paste your code as HTML in the desired location of your website.

The same tips and tricks mentioned above can also be used on the widget (and more!), but in this case they should be added as parameters directly to the end of the URL:

- To set a default donation amount, add:
`&donate=[amount]`
- To add amount buttons to the widget, add multiple comma-delimited amounts to the "donate" parameter, like this:
`&donate=[amount],[amount],[amount]`
- To set the donation to be recurring by default (this requires recurring to be enabled on your page), add:
`&recur=true`
- For the donor to cover fees by default (this must be enabled in the admin panel), add:
`&coverfee=true`
- To preset the recipient of the donation, you will need to retrieve the goal ID of the recipient (could be the campaign, a team, or a fundraiser), and add it to the URL:
`&id=[Goal ID]`
- If you are embedding the donation page of a fundraising campaign, the user can select the recipient of the donation if you add:
`&selectors=true`

The image shows two versions of a donation form for 'Donate to Pacific Ocean'. The left version is a compact widget with a currency selector (USD), a checkbox for 'Charge me this amount every month', and a 'DONATE' button. The right version is a full-width form with fields for Name, Email, Address, City, State, Zip/Postal, Name on card, Card Number, MM/YY, and CW, and a 'TEST DONATE NOW' button.

Capturing rbrief Tracking Code

If you'd like to utilize the [rbref tracking code](#) on an embedded donation form the following must be added to the embed code just above "`_rbConf.defaultAmount = 100; // optional`"

```
var qsParm = {};  
if (window.location.search.length > 1) {  
    var query = window.location.search.substring(1);  
    var parms = query.split('&');  
    for (var i = 0; i < parms.length; i++) {  
        var pos = parms[i].indexOf('=');  
        if (pos > 0) {  
            var key = parms[i].substring(0, pos);  
            var val = parms[i].substring(pos + 1);  
            qsParm[key] = val;  
        }  
    }  
}  
if(qsParm.rbref){  
    _rbConf.otherParams.rbref = qsParm.rbref;  
}
```